Journal of Computational and Applied Mathematics 30 (1990) 361–379
North-Holland

Master Index to Volumes 21–30

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Abdalkhani, J., A numerical approach to the solution of Abel integral equations of the second kind with nonsmooth solution **29** (3) (1990) 249–255
Abd-el-Malek, M.B. and **Hanna, S.N.**, Approximate solution of a flow over a ramp for large Froude number **28** (1989) 105–117
Abd-el-Malek, M.B., see **Abdel-Malek, M.N.** **26** (3) (1989) 271–279
Abdel-Malek, M.N., Hanna, S.N. and **Abd-el-Malek, M.B.**, Approximate solution for gravity flow under a Tainter gate **26** (3) (1989) 271–279
Adomian, G., Propagation in dissipative or dispersive media (*Letter*) **23** (3) (1988) 395–396
Adomian, G., Comments on a "counterexample" to decomposition (*Letter*) **26** (3) (1989) 375–376
Adomian, G. and **Rach, R.**, Evaluation of integrals by decomposition (*Letter*) **23** (1) (1988) 99–101
Afflerbach, L. and **Grothe, H.**, The lattice structure of pseudo-random vectors generated by matrix generators (*Letter*) **23** (1) (1988) 127–131
Agarwal, R.P., Monotone convergence of iterative methods for (n,p) and (p, n) boundary value problems. **21** (2) (1988) 223–230
Aihie, V.U. and **Evans, G.A.**, The tanh transformation for double integrals with singularities—a progressive rule **24** (3) (1988) 349–354
Aihie, V.U. and **Evans, G.A.**, A comparison of the error function and the tanh transformation as progressive rules for double and triple singular integrals **30** (2) (1990) 145–154
Allgower, E.L., Chien, C.-S. and **Georg, K.**, Large sparse continuation problems **26** (1,2) (1989) 3– 21
Andersson, Å.E., Casti, J., Christiansen, P.L. and **Karlqvist, A.**, Emerging paradigms in applied mathematical modelling—an introduction **22** (2,3) (1988) 143–181
Andersson, Å.E. and **Zhang, W.-B.**, Decision centralization and decentralization in a dynamic economic system **22** (2,3) (1988) 319–337
Andrew, A.L., Eigenvalues and singular values of certain random matrices **30** (2) (1990) 165–171
Ang, D.D., Keinert, F. and **Stenger, F.**, A nonlinear two-phase Stefan problem with melting point gradient: a constructive approach **23** (2) (1988) 245–255
Aronson, J., see **Nagurney, A.** **22** (2,3) (1988) 339–357
Aubin, J.-P. and **Sigmund, K.**, Permanence and viability **22** (2,3) (1988) 203–209

Elsevier Science Publishers B.V. (North-Holland)

Axelsson, O. and **Eijkhout, V.**, Vectorizable preconditioners for elliptic difference equations in three space dimensions **27** (1,2) (1989) 299–321
Axelsson, O. and **Polman, B.**, Block preconditioning and domain decomposition methods. II **24** (1,2) (1988) 55– 72

Babuška, I. and **Elman, H.C.**, Some aspects of parallel implementation of the finite-element method on message passing architectures **27** (1,2) (1989) 157–187
Bainov, D.D., see **Kulev, G.K.** **23** (3) (1988) 305–321
Bainov, D.D., see **Simeonov, P.S.** **23** (3) (1988) 353–365
Baker, C.T.H. and **Derakhshan, M.S.**, R–K formulae applied to Volterra equations with delay **29** (3) (1990) 293–310
Balachandran, K., Thandapani, E. and **Balasubramanian, G.**, Approximate solutions of a nonlinear differential equation (*Letter*) **24** (3) (1988) 399–402
Balachandran, K., see **Thandapani, E.** **23** (1) (1988) 103–107
Balasubramanian, G., see **Balachandran, K.** **24** (3) (1988) 399–402
Balasubramanian, G., see **Thandapani, E.** **23** (1) (1988) 103–107
Balasundaram, S. and **Bhattacharyya, P.K.**, A mixed finite-element method for fourth-order elliptic problems with variable coefficient **22** (1) (1988) 1– 24
Bank, R.E. and **Mittelmann, H.D.**, Stepsize selection in continuation procedures and damped Newton's method **26** (1,2) (1989) 67– 77
Barron, R.M., see **Hamdan, M.H.** **30** (1) (1990) 21– 37
Barry, J.M., Pollard, J.P. and **Wachspress, E.L.**, A method of parallel iteration **28** (1989) 119–127
Beauwens, R. and **Wilmet, R.**, Conditioning analysis of positive definite matrices by approximate factorizations **26** (3) (1989) 257–269
Beernaert, L. and **Roose, D.**, Efficiency results for Gaussian elimination on the iPSC/2 hypercube **28** (1989) 129–143
Behforooz, G. and **Papamichael, N.**, Overconvergence properties of quintic interpolatory splines **24** (3) (1988) 337–347
Bellen, A. and **Zennaro, M.**, Parallel algorithms for initial-value problems for difference and differential equations **25** (3) (1989) 341–350
Belmehdi, S., see **Ronveaux, A.** **29** (2) (1990) 225–231
Berg, L., Iterative solution of simultaneous equations **24** (1,2) (1988) 257–264
Berntsen, J., Practical error estimation in adaptive multidimensional quadrature routines **25** (3) (1989) 327–340
Berry, M. and **Sameh, A.**, An overview of parallel algorithms for the singular value and symmetric eigenvalue problems **27** (1,2) (1989) 191–213
Bertram, B., On the product integration method for solving singular integral equations in scattering theory **25** (1) (1989) 79– 92
Bhattacharyya, P.K., see **Balasundaram, S.** **22** (1) (1988) 1– 24
Bialecki, B., Sinc-type approximations in H^1-norm with applications to boundary value problems **25** (3) (1989) 289–303

Blaheta, R., A multilevel method with overcorrection by aggregation for solving discrete elliptic problems **24** (1,2) (1988) 227–239
Brankin, R.W., Gladwell, I. and **Shampine, L.F.**, Starting BDF and Adams codes at optimal order **21** (3) (1988) 357–368
Brankin, R.W., see **Freeman, T.L.** **30** (1) (1990) 71– 79
Brass, H. and **Förster, K.-J.**, Error bounds for quadrature formulas near Gaussian quadrature **28** (1989) 145–154
Breuer, S., Polynomial iterations of rth order for the extraction of kth roots **25** (1) (1989) 61– 68
Brezinski, C., Duality in Padé-type approximation **30** (3) (1990) 351–357
Bridger, J., see **Sidi, A.** **22** (1) (1988) 35– 61
Brucker, P., Burkard, R.E. and **Hurink, J.**, Cyclic schedules for r irregularly occurring events **30** (2) (1990) 173–189
Brunner, H., The numerical treatment of Volterra integro-differential equations with unbounded delay **28** (1989) 5– 23
Buchacker, U., see **Filippi, S.** **26** (3) (1989) 339–343
Budd, C., Symmetry breaking and semilinear elliptic equations **26** (1,2) (1989) 79– 96
Bui, T.D., see **Li, Z.C.** **29** (2) (1990) 171–193
Bultheel, A., see **Levrie, P.** **24** (3) (1988) 403–409
Bunse-Gerstner, A. and **Gragg, W.B.**, Singular value decompositions of complex symmetric matrices **21** (1) (1988) 41– 54
Burkard, R.E., see **Brucker, P.** **30** (2) (1990) 173–189

Calvo, M., Montijano, J.I. and **Randez, L.**, A fifth-order interpolant for the Dormand and Prince Runge–Kutta method **29** (1) (1990) 91–100
Capobianco, M.R., A method for the numerical resolution of Abel-type integral equations of the first kind **23** (3) (1988) 281–304
Capobianco, M.R., A new proof for the convergence of the trigonometric method for the Abel integral equations of the first kind (*Letter*) **30** (2) (1990) 247–250
Carroll, J., A composite integration scheme for the numerical solution of systems of ordinary differential equations **25** (1) (1989) 1– 13
Casti, J., Engineering control systems and computing in the 90s **22** (2,3) (1988) 301–314
Casti, J., see **Andersson, Å.E.** **22** (2,3) (1988) 143–181
Charlier, J.-P. and **Van Dooren, P.**, A Jacobi-like algorithm for computing the generalized Schur form of a regular pencil **27** (1,2) (1989) 17– 36
Chawla, M.M. and **Subramanian, R.**, A new fourth-order cubic spline method for second-order nonlinear two-point boundary-value problems **23** (1) (1988) 1– 10
Chawla, M.M., Subramanian, R. and **Sathi, H.L.**, A fourth-order spline method for singular two-point boundary-value problems **21** (2) (1988) 189–202
Chen, X., see **Yamamoto, T.** **30** (1) (1990) 87– 97
Chien, C.-S., Secondary bifurcations in the buckling problem **25** (3) (1989) 277–287
Chien, C.-S., see **Allgower, E.L.** **26** (1,2) (1989) 3– 21

Chow, S.-N., Drachman, B. and **Wang, D.**, Computation of normal forms **29** (2) (1990) 129–143
Christiansen, P.L., see **Andersson, Å.E.** **22** (2,3) (1988) 143–181
Chronopoulos, A.T. and **Gear, C.W.**, *s*-step iterative methods for symmetric linear systems **25** (2) (1989) 153–168
Chui, C.K., Diamond, H. and **Raphael, L.**, Shape-preserving quasi-interpolation and interpolation by box spline surfaces **25** (2) (1989) 169–198
Cliffe, K.A., see **Spence, A.** **26** (1,2) (1989) 125–131
Cloot, A.H.J. and **Herbst, B.M.**, Analytical instability of the Klein–Gordon equation **21** (1) (1988) 17– 26
Coleman, J.P., Characterisation of a class of *P*-stable methods for differential equations of second order (*Letter*) **22** (1) (1988) 137–141
Costantini, P., An algorithm for computing shape-preserving interpolating splines of arbitrary degree (*Algorithm 29*) **22** (1) (1988) 89–136
Coughran Jr, W.M., Pinto, M.R. and **Smith, R.K.**, Continuation methods in semiconductor device simulation **26** (1,2) (1989) 47– 65
Crisci, M.R., Russo, E. and **Vecchio, A.**, Stability analysis of the de Hoog and Weiss implicit Runge–Kutta methods for the Volterra integral and integrodifferential equations **29** (3) (1990) 329–341
Cuyt, A. and **Verdonk, B.**, Multivariate reciprocal differences for branched Thiele continued fraction expansions **21** (2) (1988) 145–160

Dargahi-Noubary, G.R., A parametric solution for simple stress–strength model of failure with an application **23** (2) (1988) 185–197
Davies, A.R., see **Phillips, T.N.** **21** (2) (1988) 173–188
De Bruin, M.G., Simultaneous partial Padé approximants **21** (3) (1988) 343–355
De Dier, B., Roose, D. and **Van Rompay, P.**, Interaction between fold and Hopf curves leads to new bifurcation phenomena **26** (1,2) (1989) 171–186
De Groen, P.P.N. and **Van Veldhuizen, M.**, A stabilized Galerkin method for convection dominated diffusion problems **28** (1989) 155–162
Dehesa, J.S., see **Marcellan, F.** **30** (2) (1990) 203–212
Dekker, K., see **Van Der Vorst, H.A.** **24** (1,2) (1988) 73– 87
Dellnitz, M. and **Werner, B.**, Computational methods for bifurcation problems with symmetries—with special attention to steady state and Hopf bifurcation points **26** (1,2) (1989) 97–123
Delosme, J.-M. and **Ipsen, I.C.F.**, From Bareiss' algorithm to the stable computation of partial correlations **27** (1,2) (1989) 53– 91
De Luca, M. and **Maugeri, A.**, Quasi-variational inequalities and applications to the traffic equilibrium problem; discussion of a paradox **28** (1989) 163–171
Delves, L.M., see **Essah, W.A.** **27** (3) (1989) 363–387
De Meyer, H.E., Vanthournout, J. and **Vanden Berghe, G.**, On a new type of mixed interpolation **30** (1) (1990) 55– 69
De Meyer, H.E., see **Vanden Berghe, G.** **28** (1989) 391–401

De Oliveira, P., Some simple characterizations of contractivity regions **25** (1) (1989) 27– 32
De Oliveira, P., On a class of multistep methods with strong contractivity properties **30** (1) (1990) 11– 19
Derakhshan, M.S., see **Baker, C.T.H.** **29** (3) (1990) 293–310
Diamond, H., see **Chui, C.K.** **25** (2) (1989) 169–198
Dick, E., Multigrid acceleration of a flux-difference splitting method for steady Euler equations **28** (1989) 173–180
Dierckx, P., Suetens, P. and **Vandermeulen, D.**, An algorithm for surface reconstruction from planar contours using smoothing splines **23** (3) (1988) 367–388
Dini, J., see **Ronveaux, A.** **29** (2) (1990) 225–231
Dobronec, B.S., Two-sided solution of ODEs via a posteriori error estimates **23** (1) (1988) 53– 61
Doedel, E.J. and **Friedman, M.J.**, Numerical computation of heteroclinic orbits **26** (1,2) (1989) 155–170
Dongarra, J.J., Hammarling, S.J. and **Sorensen, D.C.**, Block reduction of matrices to condensed forms for eigenvalue computations **27** (1,2) (1989) 215–227
Drachman, B., see **Chow, S.-N.** **29** (2) (1990) 129–143
Draux, A., On the non-normal Padé table in a non-commutative algebra **21** (3) (1988) 271–288
Dubuc, S. and **Elqortobi, A.**, Approximations of fractal sets **29** (1) (1990) 79– 89
Duff, I.S., Multiprocessing a sparse matrix code on the Alliant FX/8 **27** (1,2) (1989) 229–239
Dunham, C.B., Approximation with one (or few) parameters nonlinear (*Letter*) **21** (1) (1988) 115–118

Eğecioğlu, Ö., Koc, C.K. and **Laub, A.J.**, A recursive doubling algorithm for solution of tridiagonal systems on hypercube multiprocessors **27** (1,2) (1989) 95–108
Eggert, N. and **Lund, J.**, The trapezoidal rule for analytic functions of rapid decrease **27** (3) (1989) 389–406
Ehrenmark, U.T., A three-point formula for numerical quadrature of oscillatory integrals with variable frequency **21** (1) (1988) 87– 99
Eichenauer-Herrmann, J., Conditional minimax estimates (*Letter*) **29** (3) (1990) 369–371
Eichenauer-Herrmann, J. and **Lehn, J.**, Minimax estimators for the location parameter of a noncentral exponential distribution when the parameter space is bounded **26** (3) (1989) 333–337
Eijkhout, V., see **Axelsson, O.** **27** (1,2) (1989) 299–321
Eilbeck, J.C., Lohmdahl, P.C. and **Scott, A.C.**, Biomolecular dynamics by computer analysis **22** (2,3) (1988) 297–299
Elman, H.C., see **Babuška, I.** **27** (1,2) (1989) 157–187
Elqortobi, A., see **Dubuc, S.** **29** (1) (1990) 79– 89
Eriksson, J.R., The simultaneous two-step entropy model **22** (2,3) (1988) 271–283

Essah, W.A. and **Delves, L.M.**, The numerical solution of first kind integral equations **27** (3) (1989) 363–387
Evans, D.J. and **Li, C.**, On the convergence of the SAOR method and the error bounds for its acceleration **23** (3) (1988) 267–279
Evans, G.A., see **Aihie, V.U.** **24** (3) (1988) 349–354
Evans, G.A., see **Aihie, V.U.** **30** (2) (1990) 145–154
Ewerbring, L.M. and **Luk, F.T.**, Canonical correlations and generalized SVD: applications and new algorithms **27** (1,2) (1989) 37– 52

Fack, V., see **Vanden Berghe, G.** **28** (1989) 391–401
Fazio, R., Numerical evaluations for shock and discontinuity velocity related to similarity solutions of quasilinear hyperbolic systems **30** (3) (1990) 341–349
Feng, Y.Y. and **Kozak, J.**, An approach to the interpolation of nonuniformly spaced data **23** (2) (1988) 169–178
Filippi, S. and **Buchacker, U.**, Stepsize control for delay differential equations using a pair of formulae **26** (3) (1989) 339–343
Filippi, S. and **Schöne, F.**, Two high-order multistep methods with offstep points applied with a variable stepsize **30** (2) (1990) 155–164
Fischer, H., Automatic differentiation of characterizing sequences **28** (1989) 181–185
Fisher, P.G. and **Hughes Hallett, A.J.**, Iterative techniques for solving simultaneous equation systems: a view from the economics literature **24** (1,2) (1988) 241–255
Ford, J.A. and **Ghandhari, R.-A.**, On the use of function-values in unconstrained optimisation **28** (1989) 187–198
Förster, K.-J., see **Brass, H.** **28** (1989) 145–154
Franco, J.M. and **Palacios, M.**, High-order P-stable multistep methods **30** (1) (1990) 1– 10
Freeman, T.L. and **Brankin, R.W.**, A divide and conquer method for polynomial zeros **30** (1) (1990) 71– 79
Friedman, M.J., see **Doedel, E.J.** **26** (1,2) (1989) 155–170
Fukushima, M., A conjugate gradient algorithm for sparse linear inequalities **30** (3) (1990) 329–339
Fukushima, M., see **Tanaka, Y.** **23** (2) (1988) 141–153

Gasca, M., Martinez, J.J. and **Mühlbach, G.**, Computation of rational interpolants with prescribed poles **26** (3) (1989) 297–309
Gautschi, W. and **Notaris, S.E.**, Gauss–Kronrod quadrature formulae for weight functions of Bernstein–Szegö type **25** (2) (1989) 199–224
Erratum **27** (3) (1989) 429
Gear, C.W., see **Chronopoulos, A.T.** **25** (2) (1989) 153–168
Gear, C.W., see **Suleiman, M.B.** **27** (3) (1989) 331–348
Gearhart, W.B. and **Koshy, M.**, Acceleration schemes for the method of alternating projections **26** (3) (1989) 235–249
Georg, K., see **Allgower, E.L.** **26** (1,2) (1989) 3– 21

George, A., Heath, M., Liu, J. and **Ng, E.**, Solution of sparse positive definite systems on a hypercube — **27** (1,2) (1989) 129–156
Ghandhari, R.-A., see **Ford, J.A.** — **28** (1989) 187–198
Gheri, G., see **Marzulli, P.** — **28** (1989) 309–314
Gill, J., Composition of analytic functions of the form $F_n(z) = F_{n-1}(f_n(z))$, $f_n(z) \to f(z)$ — **23** (2) (1988) 179–184
Gill, P.E., Murray, W., Saunders, M.A. and **Wright, M.H.**, Recent developments in constrained optimization — **22** (2,3) (1988) 257–270
Gladwell, I., see **Brankin, R.W.** — **21** (3) (1988) 357–368
Goel, R., see **Jain, R.K.** — **23** (1) (1988) 121–125
Goovaerts, M.J., see **Grosjean, C.C.** — **21** (3) (1988) 311–331
Grafton, R.B., see **Sternberg, R.L.** — **21** (2) (1988) 213–222
Gragg, W.B., see **Bunse-Gerstner, A.** — **21** (1) (1988) 41– 54
Graves-Morris, P.R. and **Saff, E.B.**, Row convergence theorems for generalised inverse vector-valued Padé approximants — **23** (1) (1988) 63– 85
Greydanus, J. and **Rasmussen, H.**, On the solution of a generalized Stefan problem — **25** (1) (1989) 47– 60
Griewank, A. and **Reddien, G.W.**, Computation of cusp singularities for operator equations and their discretizations — **26** (1,2) (1989) 133–153
Grosjean, C.C., A general formula for the calculation of Gaussian path-integrals in two and three euclidean dimensions — **23** (2) (1988) 199–234
Grosjean, C.C. and **Goovaerts, M.J.**, The analytical evaluation of one-dimensional Gaussian path-integrals — **21** (3) (1988) 311–331
Grothe, H., see **Afflerbach, L.** — **23** (1) (1988) 127–131

Hairer, E., Lubich, Ch. and **Schlichte, M.**, Fast numerical solution of weakly singular Volterra integral equations (*Algorithm 30*) — **23** (1) (1988) 87– 98
Hake, J.-Fr. and **Homberg, W.**, Linear algebra software on IBM and CRAY computers — **26** (3) (1989) 311–325
Haken, H., Synergetics and computers — **22** (2,3) (1988) 197–202
Hall, G., see **Higham, D.J.** — **29** (1) (1990) 25– 33
Hamdan, M.H. and **Barron, R.M.**, A dusty gas flow model in porous media — **30** (1) (1990) 21– 37
Hammarling, S.J., see **Dongarra, J.J.** — **27** (1,2) (1989) 215–227
Hanna, S.N., see **Abd-el-Malek, M.B.** — **28** (1989) 105–117
Hanna, S.N., see **Abdel-Malek, M.N.** — **26** (3) (1989) 271–279
Hansen, P.C., The 2-norm of random matrices (*Letter*) — **23** (1) (1988) 117–120
Harrar II, D.L. and **Ortega, J.M.**, Optimum m-step SSOR preconditioning — **24** (1,2) (1988) 195–198
Heath, M., see **George, A.** — **27** (1,2) (1989) 129–156
Hemker, P.W., A nonlinear multigrid method for one-dimensional semiconductor device simulation: results for the diode (*Letter*) — **30** (2) (1990) 117–126
Herbst, B.M., see **Cloot, A.H.J.** — **21** (1) (1988) 17– 26
Hervás, A., see **Jódar, L.** — **25** (3) (1989) 351–362

Higham, D.J. and **Hall, G.**, Embedded Runge–Kutta formulae with stable equilibrium states **29** (1) (1990) 25– 33
Hoffmann, W., An estimate for the spectral norm of the inverse of a matrix with the Gauss–Jordan algorithm (*Letter*) **27** (3) (1989) 421–428
Holnicki, P., see **Zochowski, A.** **26** (3) (1989) 281–287
Homberg, W., see **Hake, J.-Fr.** **26** (3) (1989) 311–325
Hoppe, R.H.W. and **Mittelmann, H.D.**, A multi-grid continuation strategy for parameter-dependent variational inequalities **26** (1,2) (1989) 35– 46
Hoshi, M., see **Iri, M.** **24** (3) (1988) 365–392
Howes, F.A., An asymptotic-numerical method for a model system with turning points **29** (3) (1990) 343–356
Hughes Hallett, A.J., see **Fisher, P.G.** **24** (1,2) (1988) 241–255
Hunt, R., Single-level multigrid **23** (2) (1988) 133–139
Hurink, J., see **Brucker, P.** **30** (2) (1990) 173–189

Ibaraki, T., see **Tanaka, Y.** **23** (2) (1988) 141–153
Ifantis, E.K. and **Siafarikas, P.D.**, Bounds for the first positive zero of a mixed Bessel function (*Letter*) **21** (2) (1988) 245–249
Ifantis, E.K. and **Siafarikas, P.D.**, Differential inequalities for the positive zeros of Bessel functions **30** (2) (1990) 139–143
Ioakimidis, N.I., The successive approximations method for the airfoil equation **21** (2) (1988) 231–238
Ioakimidis, N.I., Location of boundary contours and discontinuity arcs, of known shape and conditions, of analytic functions by using contour integrals **25** (3) (1989) 315–326
Ioakimidis, N.I., Generalized Mangler-type principal value integrals with an application to fracture mechanics **30** (2) (1990) 227–234
Ipsen, I.C.F., see **Delosme, J.-M.** **27** (1,2) (1989) 53– 91
Iri, M., Tsuchiya, T. and **Hoshi, M.**, Automatic computation of partial derivatives and rounding error estimates with applications to large-scale systems of nonlinear equations **24** (3) (1988) 365–392

Jacobsen, L., Remarks to a definition of convergence acceleration illustrated by means of continued fractions $K(a_n/1)$ where $a_n \to 0$ **21** (1) (1988) 101–110
Jacobsen, L. and **Waadeland, H.**, When does $f(z)$ have a regular C-fraction expansion or a normal Padé table? **28** (1989) 199–206
Jain, R.K., Sixth-order superstable two-step methods for second-order initial-value problems (*Letter*) **24** (3) (1988) 393–397
Jain, R.K. and **Goel, R.**, Superstable single-step methods for second-order initial-value problems (*Letter*) **23** (1) (1988) 121–125
Janssen, H. and **Van Dooren, R.**, A one-step integration routine for normal differential systems, based on Gauss–Legendre quadrature **28** (1989) 207–217

Jea, K.C. and **Young, D.M.**, On the effectiveness of adaptive Chebyshev acceleration for solving systems of linear equations **24** (1,2) (1988) 33– 54
Jepson, A.D., see **Spence, A.** **26** (1,2) (1989) 125–131
Ji, J., see **Kuang, J.** **24** (1,2) (1988) 3– 12
Jódar, L., Boundary value problems for systems of second-order differential equations: approximations, convergence and upper error bounds **30** (1) (1990) 39– 54
Jódar, L. and **Hervás, A.**, An algorithm for solving coupled differential matrix systems: approximations, convergence and upper error bounds **25** (3) (1989) 351–362
Joe, S., The generation of lattice points for numerical multiple integration **26** (3) (1989) 327–331

Kaas-Petersen, C., Bi-periodicity in an isothermal autocatalytic reaction-diffusion system **26** (1,2) (1989) 187–198
Kaasschieter, E.F., Preconditioned conjugate gradients for solving singular systems **24** (1,2) (1988) 265–275
Kahaner, D.K., Lawkins, W.F. and **Thompson, S.**, On the use of rootfinding ODE software for the solution of a common problem in nonlinear dynamical systems **28** (1989) 219–230
Kalker, T.A.C.M., see **Van Laarhoven, P.J.M.** **21** (3) (1988) 369–375
Kallrath, J. and **Neutsch, W.**, Lattice integration on the 7-sphere **29** (1) (1990) 9– 14
Karageorghis, A., A note on the Chebyshev coefficients of the general order derivative of an infinitely differentiable function (*Letter*) **21** (1) (1988) 129–132
Karageorghis, A., A note on the Chebyshev coefficients of the moments of the general order derivative of an infinitely differentiable function (*Letter*) **21** (3) (1988) 383–386
Karlqvist, A., see **Andersson, Å.E.** **22** (2,3) (1988) 143–181
Keinert, F., see **Ang, D.D.** **23** (2) (1988) 245–255
Kemp, A.W., see **Shenton, L.R.** **26** (3) (1989) 367–370
Kincaid, D.R. and **Young, D.M.**, A review of the ITPACK project **24** (1,2) (1988) 121–127
King, J.T., On the construction of preconditioners by subspace decomposition **29** (2) (1990) 195–205
Kiper, A., Some recurrence relations and their parallel evaluation using nested recurrent product form algorithm **28** (1989) 231–235
Klempous, R., Kotowski, J. and **Kuliszewski, M.**, The linearized version of an algorithm for the mixed norms problem **28** (1989) 237–247
Klempous, R., Kotowski, J., Nikodem, J., Olesiak, M. and **Ulasiewicz, J.**, Some models for water distribution systems **21** (3) (1988) 257–269
Klir, G.J., The future of information, computer, and systems sciences **22** (2,3) (1988) 183–195
Knopfmacher, A. and **Knopfmacher, J.**, Inverse polynomial expansions of Laurent series, II **28** (1989) 249–257
Knopfmacher, J., see **Knopfmacher, A.** **28** (1989) 249–257

Koc, C.K., see **Eğecioğlu, Ö.** **27** (1,2) (1989) 95–108
Köhler, P., Estimates for Sard's best formulas for linear functionals on $C^s[a, b]$ **28** (1989) 259–267
Koshy, M., see **Gearhart, W.B.** **26** (3) (1989) 235–249
Kostlan, E., Complexity theory of numerical linear algebra **22** (2,3) (1988) 219–230
Kotowski, J., see **Klempous, R.** **21** (3) (1988) 257–269
Kotowski, J., see **Klempous, R.** **28** (1989) 237–247
Kozak, J., see **Feng, Y.Y.** **23** (2) (1988) 169–178
Kozek, A.S. and **Trzmielak-Stanisławska, A.**, On dependence of MR- and MM-algorithms upon the value of switching control variable CTR (*Letter*) **23** (1) (1988) 109–116
Kuang, J. and **Ji, J.**, A survey of AOR and TOR methods **24** (1,2) (1988) 3– 12
Kulev, G.K. and **Bainov, D.D.**, Second method of Lyapunov and comparison principle for systems with impulse effect **23** (3) (1988) 305–321
Kuliszewski, M., see **Klempous, R.** **28** (1989) 237–247

Laforgia, A. and **Sismondi, S.**, Monotonicity results and inequalities for the gamma and error functions **23** (1) (1988) 25– 33
Lahtinen, A., Shape preserving interpolation by quadratic splines **29** (1) (1990) 15– 24
Laub, A.J., see **Eğecioğlu, Ö.** **27** (1,2) (1989) 95–108
Lawkins, W.F., see **Kahaner, D.K.** **28** (1989) 219–230
Lécot, C., Low discrepancy sequences for solving the Boltzmann equation **25** (2) (1989) 237–249
Lee, J.H. and **Yang, S.N.**, Shape preserving and shape control with interpolating Bézier curves **28** (1989) 269–280
Lehn, J., see **Eichenauer-Herrmann, J.** **26** (3) (1989) 333–337
Lembarki, A., On a Khovanskii transformation for continued fractions (*Letter*) **25** (2) (1989) 125–131
Levrie, P., Pringsheim's theorem revisited **25** (1) (1989) 93–104
Levrie, P. and **Bultheel, A.**, A note on two convergence acceleration methods for ordinary continued fractions (*Letter*) **24** (3) (1988) 403–409
Li, C., see **Evans, D.J.** **23** (3) (1988) 267–279
Li, P. and **Ramm, A.G.**, Numerical recovery of the layered medium from the surface data **25** (3) (1989) 267–276
Li Shoufu, Stability and B-convergence of general linear methods **28** (1989) 281–296
Li Ta-tsien, A class of non-local boundary value problems for partial differential equations and its applications in numerical analysis **28** (1989) 49– 62
Li, Z.C. and **Bui, T.D.**, The simplified hybrid-combined methods for Laplace's equation with singularities **29** (2) (1990) 171–193
Lindtner, E., Steindl, A. and **Troger, H.**, Generic one-parameter bifurcations in the motion of a simple robot **26** (1,2) (1989) 199–218
Liniger, W., A quasi-direct fast Poisson solver for general regions **28** (1989) 25– 47
Lioen, W., see **Te Riele, H.** **27** (1,2) (1989) 267–278
Liu, J., see **George, A.** **27** (1,2) (1989) 129–156

Lobanov, Yu.Yu., Shahbagian, R.R. Sidorova, O.V. and **Zhidkov, E.P.**, Computation of conditional Wiener integrals by the composite approximation formulas with weight **29** (1) (1990) 51–60
Lomdahl, P.S., see **Eilbeck, J.C.** **22** (2,3) (1988) 297–299
Lopez, L., One-step collocation methods for differential-algebraic systems of index 1 **29** (2) (1990) 145–159
Lu, L.C. and **Wang, Y.**, A variable transformation method for solving linear absolute value objective function problems with linear constraints (*Letter*) **21** (1) (1988) 111–113
Lubich, Ch., see **Hairer, E.** **23** (1) (1988) 87–98
Luk, F.T., see **Ewerbring, L.M.** **27** (1,2) (1989) 37–52
Lund, J., see **Eggert, N.** **27** (3) (1989) 389–406
Lynch, R. and **Mavromatis, H.A.**, *N*-dimensional harmonic oscillator yields monotonic series for the mathematical constant π **30** (2) (1990) 127–137

McCabe, J., see **Magnus, A.** **30** (1) (1990) 81–86
McClure, J.P. and **Wong, R.**, Multidimensional stationary phase approximation: boundary stationary point **30** (2) (1990) 213–225
McNamee, J.M., A comparison of methods for terminating polynomial iterations **21** (2) (1988) 239–244
Maess, G., Projection methods solving rectangular systems of linear equations **24** (1,2) (1988) 107–119
Magnus, A. and **McCabe, J.**, On a continued fraction for $\log_e^2(1 + x)$ **30** (1) (1990) 81–86
Mampaey, F., A numerical technique to increase the stability of the ADI method in solidification simulation **28** (1989) 297–308
Marcellan, F., Dehesa, J.S. and **Ronveaux, A.**, On orthogonal polynomials with perturbed recurrence relations **30** (2) (1990) 203–212
Marcellan, F., see **Ronveaux, A.** **25** (1) (1989) 105–109
Maroni, P., see **Ronveaux, A.** **29** (2) (1990) 225–231
Martinez, J.J., see **Gasca, M.** **26** (3) (1989) 297–309
Martins, M.M., Extended convergence regions for the AOR method **24** (3) (1988) 327–336
Marzulli, P. and **Gheri, G.**, Estimation of the global discretization error in shooting methods for linear boundary value problems **28** (1989) 309–314
Maugeri, A., see **De Luca, M.** **28** (1989) 163–171
Mavromatis, H.A., see **Lynch, R.** **30** (2) (1990) 127–137
Meek, D.S. and **Walton, D.J.**, The use of Cornu spirals in drawing planar curves of controlled curvature **25** (1) (1989) 69–78
Meier, U. and **Sameh, A.**, The behavior of conjugate gradient algorithms on a multivector processor with a hierarchical memory **24** (1,2) (1988) 13–32
Miekkala, U., Dynamic iteration methods applied to linear DAE systems **25** (2) (1989) 133–151

Miersemann, E. and **Mittelmann, H.D.**, Continuation for parametrized nonlinear variational inequalities **26** (1,2) (1989) 23– 34
Milner, F.A., L^∞-error estimates for linear elasticity problems **25** (3) (1989) 305–313
Mitchell, A.R. and **Schoombie, S.W.**, Nonlinear diffusion and stable period 2 solutions of a discrete reaction-diffusion model **25** (3) (1989) 363–372
Mittelmann, H.D., see **Bank, R.E.** **26** (1,2) (1989) 67– 77
Mittelmann, H.D., see **Hoppe, R.H.W.** **26** (1,2) (1989) 35– 46
Mittelmann, H.D., see **Miersemann, E.** **26** (1,2) (1989) 23– 34
Miyakoda, T., Iterative methods for multiple zeros of a polynomial by clustering **28** (1989) 315–326
Montijano, J.I., see **Calvo, M.** **29** (1) (1990) 91–100
Morgan, A.P., **Sommese, A.** and **Watson, L.T.**, Mathematical reduction of a heart dipole model (*Letter*) **27** (3) (1989) 407–410
Mu Mu, Global classical solutions to initial-boundary value problems for the potential vorticity equation **28** (1989) 327–338
Mühlbach, G., see **Gasca, M.** **26** (3) (1989) 297–309
Murio, D.A., Parameter selection by discrete mollification and the numerical solution of the inverse heat conduction problem **22** (1) (1988) 25– 34
Murio, D.A. and **Paloschi, J.R.**, Combined mollification—future temperatures procedure for solution of inverse heat conduction problem **23** (2) (1988) 237–244
Murray, W., see **Gill, P.E.** **22** (2,3) (1988) 257–270

Nagurney, A. and **Aronson, J.**, A general dynamic spatial price equilibrium model: formulation, solution, and computational results **22** (2,3) (1988) 339–357
Nelson, P., Adomian's method of decomposition: critical review and examples of failure (*Letter*) **23** (3) (1988) 389–393
Neutsch, W., see **Kallrath, J.** **29** (1) (1990) 9– 14
Ng, E., see **George, A.** **27** (1,2) (1989) 129–156
Ng-Stynes, M.J., **O'Riordan, E.** and **Stynes, M.**, Numerical methods for time-dependent convection-diffusion equations **21** (3) (1988) 289–310
Niki, H., see **Ohsaki, I.** **24** (1,2) (1988) 277–291
Nikodem, J., see **Klempous, R.** **21** (3) (1988) 257–269
Notaris, S.E., Gauss–Kronrod quadrature formulae for weight functions of Bernstein–Szegö type, II **29** (2) (1990) 161–169
Notaris, S.E., see **Gautschi, W.** **25** (2) (1989) 199–224
Notay, Y., Polynomial acceleration of iterative schemes associated with subproper splittings **24** (1,2) (1988) 153–167

Ohsaki, I. and **Niki, H.**, The accelerated SAOR method for large linear systems **24** (1,2) (1988) 277–291
Olesiak, M., see **Klempous, R.** **21** (3) (1988) 257–269
O'Riordan, E., see **Ng-Stynes, M.J.** **21** (3) (1988) 289–310
Ortega, J.M., see **Harrar, D.L.** **24** (1,2) (1988) 195–198

Özis, T., A novel variation of the coordinate transformation method with perturbation technique for diffusion-controlled moving boundary problems **25** (2) (1989) 225–235

Paardekooper, M.H.C., A quadratically convergent parallel Jacobi process for diagonally dominant matrices with distinct eigenvalues **27** (1,2) (1989) 3– 16
Palacios, M., see **Franco, J.M.** **30** (1) (1990) 1– 10
Palamara Orsi, A., Nested quadrature rules for Cauchy principal value integrals **25** (3) (1989) 251–266
Palamara Orsi, A., Spline approximation for Cauchy principal value integrals **30** (2) (1990) 191–201
Paloschi, J.R., see **Murio, D.A.** **23** (2) (1988) 237–244
Pan, C.-T. and **Plemmons, R.J.**, Least squares modifications with inverse factorizations: parallel implications **27** (1,2) (1989) 109–127
Pandian, M.C., A partial upwind difference scheme for nonlinear parabolic equations **26** (3) (1989) 219–233
Panovsky, J. and **Richardson, D.L.**, A family of implicit Chebyshev methods for the numerical integration of second-order differential equations **23** (1) (1988) 35– 51
Papageorgiou, C.D., Raptis, A.D. and **Simos, T.E.**, A method for computing phase shifts for scattering **29** (1) (1990) 61– 67
Papamichael, N., Numerical conformal mapping onto a rectangle with applications to the solution of Laplacian problems **28** (1989) 63– 83
Papamichael, N., see **Behforooz, G.** **24** (3) (1988) 337–347
Pérez-Acosta, F., An algorithm for the computation of the derivatives of a quotient (*Letter*) **25** (3) (1989) 379–385
Petković, M.S., On the efficiency of some combined methods for polynomial complex zeros **30** (1) (1990) 99–15
Phillips, T.N. and **Davies, A.R.**, On semi-infinite spectral elements for Poisson problems with re-entrant boundary singularities **21** (2) (1988) 173–188
Pinto, M.R., see **Coughran Jr, W.M.** **26** (1,2) (1989) 47– 65
Plemmons, R.J., see **Pan, C.-T.** **27** (1,2) (1989) 109–127
Pollard, J.P., see **Barry, J.M.** **28** (1989) 119–127
Polman, B., see **Axelsson, O.** **24** (1,2) (1988) 55– 72
Prevost, M., Stieltjes- and Geronimus-type polynomials **21** (2) (1988) 133–144
Puu, T., Catastrophe theory applied to the refraction of traffic **22** (2,3) (1988) 315–318
Puu, T., Structural stability as a modeling instrument in spatial economics **22** (2,3) (1988) 369–379

Rabinowitz, P., Product integration based on Hermite–Fejér interpolation **28** (1989) 85–101
Rach, R., see **Adomian, G.** **23** (1) (1988) 99–101
Rama Rao, K., see **Rios Neto, A.** **30** (3) (1990) 257–281
Ramm, A.G., see **Li, P.** **25** (3) (1989) 267–276

Randez, L., see **Calvo, M.** **29** (1) (1990) 91–100
Raphael, L., see **Chui, C.K.** **25** (2) (1989) 169–198
Raptis, A.D., see **Papageorgiou, C.D.** **29** (1) (1990) 61– 67
Rasmussen, H., see **Greydanus, J.** **25** (1) (1989) 47– 60
Rasmussen, H., see **Schuck, P.L.** **24** (3) (1988) 293–318
Reczek, K., On the growth of meromorphic functions **29** (1) (1990) 1– 7
Reddien, G.W., see **Griewank, A.** **26** (1,2) (1989) 133–153
Rendl, F., On the Euclidean assignment problem **23** (3) (1988) 257–265
Richardson, D.L., see **Panovsky, J.** **23** (1) (1988) 35– 51
Rios Neto, A. and **Rama Rao, K.**, A stochastic approach to global error estimation in ODE multistep numerical integration **30** (3) (1990) 257–281
Rockafellar, R.T., Optimization: a case for the development of new mathematical concepts **22** (2,3) (1988) 243–255
Rockswold, G.K., Implementation of α-type multistep methods for stiff differential equations **22** (1) (1988) 63– 69
Rodrigue, G. and **Varga, R.**, Convergence rate estimates for iterative solutions of the biharmonic equation **24** (1,2) (1988) 129–146
Ronveaux, A., Quasi-orthogonality and differential equations (*Letter*) **29** (2) (1990) 243–248
Ronveaux, A., Belmehdi, S., Dini, J. and **Maroni, P.**, Fourth-order differential equation for the co-modified of semi-classical orthogonal polynomials **29** (2) (1990) 225–231
Ronveaux, A. and **Marcellan, F.**, Co-recursive orthogonal polynomials and fourth-order differential equation **25** (1) (1989) 105–109
Ronveaux, A., see **Marcellan, F.** **30** (2) (1990) 203–212
Roos, H.-G., Global uniformly convergent schemes for a singularly perturbed boundary-value problem using patched base spline-functions **29** (1) (1990) 69– 77
Roose, D., see **Beernaert, L.** **28** (1989) 129–143
Roose, D., see **De Dier, B.** **26** (1,2) (1989) 171–186
Rosen, R., Complexity and information **22** (2,3) (1988) 211–218
Ruotsalainen, K. and **Saranen, J.**, On the collocation method for a nonlinear boundary integral equation **28** (1989) 339–348
Russo, E., see **Crisci, M.R.** **29** (3) (1990) 329–341

Saad, Y., Preconditioning techniques for nonsymmetric and indefinite linear systems **24** (1,2) (1988) 89–105
Saari, D.G., On the types of information and mechanism design **22** (2,3) (1988) 231–242
Sadok, H., About Henrici's transformation for accelerating vector sequences **29** (1) (1990) 101–110
Saff, E.B., see **Graves-Morris, P.R.** **23** (1) (1988) 63– 85
Sakurai, T., see **Sugiura, H.** **28** (1989) 367–381
Sameh, A., see **Berry, M.** **27** (1,2) (1989) 191–213
Sameh, A., see **Meier, U.** **24** (1,2) (1988) 13– 32
Saranen, J., see **Ruotsalainen, K.** **28** (1989) 339–348

Saridakis, Y.G., An algorithmic approach for the analysis of extrapolated iterative schemes applied to least-squares problems **24** (1,2) (1988) 209–225
Sathi, H.L., see **Chawla, M.M.** **21** (2) (1988) 189–202
Saunders, M.A., see **Gill, P.E.** **22** (2,3) (1988) 257–270
Saylor, P.E., Leapfrog variants of iterative methods for linear algebraic equations **24** (1,2) (1988) 169–193
Schaefer, M.J., A polynomial based iterative method for linear parabolic equations **29** (1) (1990) 35– 50
Schäfer, E. and **Sporer, I.**, An efficient conjugate gradient preconditioner for Toeplitz systems **29** (2) (1990) 233–241
Schlichte, M., see **Hairer, E.** **23** (1) (1988) 87– 98
Schlichting, J.J.F.M. and **Van Der Vorst, H.A.**, Solving 3D block bidiagonal linear systems on vector computers **27** (1,2) (1989) 323–330
Schönauer, W. and **Weiß, R.**, Efficient vectorizable PDE solvers **27** (1,2) (1989) 279–297
Schöne, F., see **Filippi, S.** **30** (2) (1990) 155–164
Schoombie, S.W., see **Mitchell, A.R.** **25** (3) (1989) 363–372
Schuck, P.L. and **Rasmussen, H.**, Numerical solution of a heated subsidence mound problem in a porous medium **24** (3) (1988) 293–318
Scott, A.C., see **Eilbeck, J.C.** **22** (2,3) (1988) 297–299
Sen, S.K., see **Venkaiah, V.Ch.** **21** (1) (1988) 27– 40
Shahbagian, R.R., see **Lobanov, Yu.Yu.** **29** (1) (1990) 51– 60
Shampine, L.F., see **Brankin, R.W.** **21** (3) (1988) 357–368
Sharma, R.K., Numerical solutions to radial form of transistor equations (*Letter*) **21** (3) (1988) 377–381
Sharma, R.K., Iterative solutions to boundary-value differential equations involving reflection of the argument **24** (3) (1988) 319–326
Shen, Y.-Q. and **Ypma, T.J.**, Solving nonlinear systems of equations with only one nonlinear variable **30** (2) (1990) 235–246
Shenton, L.R. and **Kemp, A.W.**, An S-fraction and $\ln^2(1+x)$ (*Letter*) **26** (3) (1989) 367–370
Shivakumar, P.N. and **Williams, J.J.**, An iterative method with truncation for infinite linear systems **24** (1,2) (1988) 199–207
Siafarikas, P.D., see **Ifantis, E.K.** **21** (2) (1988) 245–249
Siafarikas, P.D., see **Ifantis, E.K.** **30** (2) (1990) 139–143
Sidi, A., Extrapolation vs. projection methods for linear systems of equations **22** (1) (1988) 71– 88
Sidi, A., Quantitative and constructive aspects of the generalized Koenig's and de Montessus's theorems for Padé approximants **29** (3) (1990) 257–291
Sidi, A. and **Bridger, J.**, Convergence and stability analyses for some vector extrapolation methods in the presence of defective iteration matrices **22** (1) (1988) 35– 61
Sidorova, O.V., see **Lobanov, Yu.Yu.** **29** (1) (1990) 51– 60
Simeonov, P.S. and **Bainov, D.D.**, Exponential stability of the solutions of the initial-value problem for systems with impulse effect **23** (3) (1988) 353–365

Simos, T.E., A four-step method for the numerical solution of the Schrödinger equation — **30** (3) (1990) 251–255
Simos, T.E., see **Papageorgiou, C.D.** — **29** (1) (1990) 61– 67
Sismondi, S., see **Laforgia, A.** — **23** (1) (1988) 25– 33
Smith, R.K., see **Coughran Jr, W.M.** — **26** (1,2) (1989) 47– 65
Snyman, J.A., A parameter-free multiplier method for constrained minimization problems — **23** (2) (1988) 155–168
Soh, B.C., Fourier series of B-splines (*Letter*) — **21** (1) (1988) 125–127
Soh, B.C., On the degree of approximation to periodic functions by a trigonometric spline convolution operator — **26** (3) (1989) 251–255
Solak, W., On quadrature formulas with end corrections (*Letter*) — **25** (3) (1989) 373–377
Sommeijer, B.P., see **Van Der Houwen, P.J.** — **27** (3) (1989) 411–420
Sommeijer, B.P., see **Van Der Houwen, P.J.** — **29** (1) (1990) 111–127
Sommese, A., see **Morgan, A.P.** — **27** (3) (1989) 407–410
Song, I., A recursive formula for even order harmonic series (*Letter*) — **21** (2) (1988) 251–256
Song, J., A finite element method for equations of one-dimensional nonlinear thermoelasticity — **21** (1) (1988) 1– 16
Sonnevend, G., Applications of the notion of analytic center in approximation (estimation) problems — **28** (1989) 349–358
Sorensen, D.C., see **Dongarra, J.J.** — **27** (1,2) (1989) 215–227
Spence, A., Cliffe, K.A. and **Jepson, A.D.**, A note on the calculation of paths of Hopf bifurcations — **26** (1,2) (1989) 125–131
Spivack, M. and **Uscinski, B.J.**, The split-step solution in random wave propagation — **27** (3) (1989) 349–361
Spoelstra, J., The modelling of oil agglomeration of coal fines — **28** (1989) 359–366
Sporer, I., see **Schäfer, E.** — **29** (2) (1990) 233–241
Steindl, A., see **Lindtner, E.** — **26** (1,2) (1989) 199–218
Stenger, F., see **Ang, D.D.** — **23** (2) (1988) 245–255
Sternberg, R.L. and **Grafton, R.B.**, On a numerical minimization problem for a new class of nonlinear partial differential equations arising in nonspherical geometrical optics and beamforming lenticular antennas II — **21** (2) (1988) 213–222
Stewart, K., Avoiding stability-induced inefficiencies in BDF methods — **29** (3) (1990) 357–367
Stojanović, M., see **Surla, K.** — **24** (3) (1988) 355–363
Stynes, M., see **Ng-Stynes, M.J.** — **21** (3) (1988) 289–310
Subramanian, R., see **Chawla, M.M.** — **21** (2) (1988) 189–202
Subramanian, R., see **Chawla, M.M.** — **23** (1) (1988) 1– 10
Suetens, P., see **Dierckx, P.** — **23** (3) (1988) 367–388
Sugiura, H. and **Sakurai, T.**, On the construction of high-order integration formulae for the adaptive quadrature method — **28** (1989) 367–381
Suleiman, M.B. and **Gear, C.W.**, Treating a single, stiff, second-order ODE directly — **27** (3) (1989) 331–348
Surla, K. and **Stojanović, M.**, Solving singularly perturbed boundary-value problems by spline in tension — **24** (3) (1988) 355–363

Swarztrauber, P.N. and **Sweet, R.A.**, Vector and parallel methods for the direct solution of Poisson's equation **27** (1,2) (1989) 241–263
Sweet, R.A., see **Swarztrauber, P.N.** **27** (1,2) (1989) 241–263
Szulc, T., Criteria for the nonsingularity of partitioned matrices **26** (3) (1989) 289–295

Tanaka, Y., Fukushima, M., and **Ibaraki, T.**, A globally convergent SQP method for semi-infinite nonlinear optimization **23** (2) (1988) 141–153
Tempelmeier, U., A new proof of the cross-rule for the ϵ-algorithm based on Schur-complements **21** (1) (1988) 55– 61
Te Riele, H., Lioen, W. and **Winter, D.**, Factoring with the quadratic sieve on large vector computers **27** (1,2) (1989) 267–278
Tezer, M., On the numerical evaluation of an oscillating infinite series **28** (1989) 383–390
Thandapani, E., Balachandran, K. and **Balasubramanian, G.**, Series solutions of some nonlinear differential equations (*Letter*) **23** (1) (1988) 103–107
Thandapani, E., see **Balachandran, K.** **24** (3) (1988) 399–402
Thompson, S., see **Kahaner, D.K.** **28** (1989) 219–230
Torelli, L., Stability of numerical methods for delay differential equations **25** (1) (1989) 15– 26
Troger, H., see **Lindtner, E.** **26** (1,2) (1989) 199–218
Trzmielak-Stanisławska, A., see **Kozek, A.S.** **23** (1) (1988) 109–116
Tsuchiya, T., see **Iri, M.** **24** (3) (1988) 365–392

Ulasiewicz, J., see **Klempous, R.** **21** (3) (1988) 257–269
Uscinski, B.J., see **Spivack, M.** **27** (3) (1989) 349–361

Vanden Berghe, G., Fack, V. and **De Meyer, H.E.**, Numerical methods for solving radial Schrödinger equations **28** (1989) 391–401
Vanden Berghe, G., see **De Meyer, H.E.** **30** (1) (1990) 55– 69
Van Der Houwen, P.J. and **Sommeijer, B.P.**, Parallel iteration of high-order Runge–Kutta methods with stepsize control **29** (1) (1990) 111–127
Van Der Houwen, P.J., Sommeijer, B.P. and **Van Mourik, P.A.**, Note on explicit parallel multistep Runge–Kutta methods (*Letter*) **27** (3) (1989) 411–420
Vandermeulen, D., see **Dierckx, P.** **23** (3) (1988) 367–388
Van Der Vorst, H.A., and **Dekker, K.**, Conjugate gradient type methods and preconditioning **24** (1,2) (1988) 73– 87
Van Der Vorst, H.A., see **Schlichting, J.J.F.M.** **27** (1,2) (1989) 323–330
Vandewalle, J., see **Van Huffel, S.** **21** (3) (1988) 333–341
Van Dooren, P., see **Charlier, J.-P.** **27** (1,2) (1989) 17– 36
Van Dooren, R., see **Janssen, H.** **28** (1989) 207–217
Van Huffel, S., The extended classical total least squares algorithm (*Algorithm 31*) **25** (1) (1989) 111–119
Van Huffel, S. and **Vandewalle, J.**, The partial total least squares algorithm **21** (3) (1988) 333–341

Van Iseghem, J., Convergence of the vector QD-algorithm. Zeros of vector orthogonal polynomials **25** (1) (1989) 33– 46
Van Laarhoven, P.J.M. and **Kalker, T.A.C.M.**, On the computation of Lauricella functions of the fourth kind **21** (3) (1988) 369–375
Van Mourik, P.A., see **Van Der Houwen, P.J.** **27** (3) (1989) 411–420
Van Rompay, P., see **De Dier, B.** **26** (1,2) (1989) 171–186
Vanthournout, J., see **De Meyer, H.E.** **30** (1) (1990) 55– 69
Van Veldhuizen, M., On the numerical approximation of the rotation number **21** (2) (1988) 203–212
Van Veldhuizen, M., see **De Groen, P.P.N.** **28** (1989) 155–162
Varga, R., see **Rodrigue, G.** **24** (1,2) (1988) 129–146
Vecchio, A., see **Crisci, M.R.** **29** (3) (1990) 329–341
Venkaiah, V.Ch. and **Sen, S.K.**, Computing a matrix symmetrizer exactly using modified multiple modulus residue arithmetic **21** (1) (1988) 27– 40
Verdonk, B., see **Cuyt, A.** **21** (2) (1988) 145–160
Volk, W., The iterated Galerkin method for linear integro-differential equations **21** (1) (1988) 63– 74
Von Hohenbalken, B., An algorithm for set operations on nonconvex polygons (with an application to census tracts) **23** (1) (1988) 11– 24
Vulanović, R., Finite-difference schemes for quasilinear singular perturbation problems **26** (3) (1989) 345–365

Waadeland, H., see **Jacobsen, L.** **28** (1989) 199–206
Wachspress, E.L., see **Barry, J.M.** **28** (1989) 119–127
Walton, D.J., see **Meek, D.S.** **25** (1) (1989) 69– 78
Walz, G., Computing the matrix exponential and other matrix functions (*Letter*) **21** (1) (1988) 119–123
Wang, D., see **Chow, S.-N.** **29** (2) (1990) 129–143
Wang, S., see **Wu, C.H.** **28** (1989) 403–412
Wang, Y., see **Lu, L.C.** **21** (1) (1988) 111–113
Watson, L.T., see **Morgan, A.P.** **27** (3) (1989) 407–410
Wegert, E., An iterative method for solving nonlinear Riemann–Hilbert problems **29** (3) (1990) 311–327
Wegmann, R., Discrete Riemann–Hilbert problems, interpolation of simply closed curves, and numerical conformal mapping **23** (3) (1988) 323–352
Wegmann, R., Discretized versions of Newton type iterative methods for conformal mapping **29** (2) (1990) 207–224
Weidlich, W., Stochastic migration theory and migratory phase transitions **22** (2,3) (1988) 359–368
Weiß, R., see **Schönauer, W.** **27** (1,2) (1989) 279–297
Werner, B., see **Dellnitz, M.** **26** (1,2) (1989) 97–123
Westbrook, D.R., The obstacle problem for beams and plates **30** (3) (1990) 295–311
Williams, J.J., see **Shivakumar, P.N.** **24** (1,2) (1988) 199–207
Wilmet, R., see **Beauwens, R.** **26** (3) (1989) 257–269

Winter, D., see **Te Riele, H.** **27** (1,2) (1989) 267–278
Wong, R., see **McClure, J.P.** **30** (2) (1990) 213–225
Wright, M.H., see **Gill, P.E.** **22** (2,3) (1988) 257–270
Wu, C.H., A multicolour SOR method for the finite-element method **30** (3) (1990) 283–294
Wu, C.H. and **Wang, S.**, Domain decomposition technique for the continuity equations of semiconductor device models **28** (1989) 403–412

Xinmin, X., Spectral method for solving the system of equations of Schrödinger–Klein–Gordon field **21** (2) (1988) 161–171

Yamamoto, T., On the method of tangent hyperbolas in Banach spaces **21** (1) (1988) 75– 86
Yamamoto, T. and **Chen, X.**, An existence and nonexistence theorem for solutions of nonlinear systems and its application to algebraic equations **30** (1) (1990) 87– 97
Yang, D., Mixed methods with dynamic finite-element spaces for miscible displacement in porous media **30** (3) (1990) 313–328
Yang, S.N., see **Lee, J.H.** **28** (1989) 269–280
Yeyios, A.K., An extension of the Accelerated Overrelaxation (AOR) theory for linear systems with Hermitian matrix **24** (1,2) (1988) 147–151
Yeyios, A.K., A necessary condition for the convergence of the accelerated overrelaxation (AOR) method (*Letter*) **26** (3) (1989) 371–373
Young, D.M., see **Jea, K.C.** **24** (1,2) (1988) 33– 54
Young, D.M., see **Kincaid, D.R.** **24** (1,2) (1988) 121–127
Ypma, T.J., see **Shen, Y.-Q.** **30** (2) (1990) 235–246

Zabusky, N.J., Computational synergetics: visualization and vortex dynamics **22** (2,3) (1988) 285–295
Zennaro, M., see **Bellen, A.** **25** (3) (1989) 341–350
Zhang, W.-B., see **Andersson, Å.E.** **22** (2,3) (1988) 319–337
Zhidkov, E.P., see **Lobanov, Yu.Yu.** **29** (1) (1990) 51– 60
Zochowski, A. and **Holnicki, P.**, Interactive method of variational grid generation **26** (3) (1989) 281–287